


Thursday Pools LLC

Owner's Manual

For fiberglass swimming pools and spas



THURSDAY POOLS®

Your weekend starts early with us

NOTICE

Failure to follow all safety instructions may result in injury or death.

Failure to read and follow water chemistry maintenance may result in a discolored surface.

Failure to read and follow specific instructions contained in this manual may void your pool warranty.

If you have not already done so, please go online and register your pool to activate your warranty at <https://thursdaypools.com/warrantyregistration>.

Welcome to the Thursday Pools Family!

Congratulations on the purchase of your Thursday Pools fiberglass swimming pool and/or spa! We are excited to have you as part of our Thursday Pools family. This Owner's Manual contains important information for the safe use and proper maintenance of your pool. Please read this Owner's Manual carefully and completely before using your pool and/or spa, and follow all warnings and instructions. **Enjoy, and thank you for starting your weekend early with us!**

Table of Contents

Important Safety Information	5-7
Products Manufactured by Thursday Pools	9
Pool Suction Fittings (Drain Covers)	10
Pool Pumps and Filters	11
Pool Maintenance & Chemicals	12-13
Water Chemistry	14
Water Chemistry Recommended Resources and Tools	15
Water Level Information	16
Exhibit A: Proper Procedure Checklist for Pool Draining Limited Warranty ..	17-18
Warranty documents	19-23
General Aquatic Safety	24
Exhibit B: General Warnings, Signs, and Stickers	25-28
Daily Pool/Spa Operations Record.....	29-32
Thank You	33
Notes	34

840 Commerce Parkway, Fortville, Indiana 46040
T: 877-929-POOL (7665) F: 317-565-2674
Monday-Friday: 8am-5pm EST
thursdaypools.com

IMPORTANT SAFETY INFORMATION



**PLEASE READ CAREFULLY AND FOLLOW ALL INSTRUCTIONS
BEFORE INSTALLING AND USING THIS PRODUCT.**

READ ALL MANUALS, WARNINGS, AND LABELS PRIOR TO INSTALLING AND USING THE POOL.

SUPERVISE CHILDREN AND DISABLED PERSONS AT ALL TIMES.

- » Proper supervision is critical to safe use of your pool.

INSTALL SAFETY BARRIERS TO ELIMINATE UNAUTHORIZED AND UNSUPERVISED ENTRY TO THE POOL.

- » Secure all doors, gates, and safety barriers to prevent unauthorized and unsupervised access to the pool.
- » Install door alarms and locks to prevent unauthorized and unsupervised access to the pool.
- » When the pool is not in use, the pool owner is responsible for safeguarding the pool.

THE POOL COVER IS NOT A SAFETY FEATURE. IT IS NOT A BARRIER AND WILL NOT PREVENT UNAUTHORIZED ENTRY INTO THE POOL.

- » Use of the pool cover does not replace the need to install safety barriers, door alarms, and locks to prevent unauthorized and unsupervised access to the pool.

THE POOL COVER MUST BE COMPLETELY REMOVED PRIOR TO USING THE POOL.

- » Do not cover the pool while you or others are in the pool

DO NOT ALLOW DIVING OR JUMPING INTO A POOL (UNLESS THE POOL IS SPECIFICALLY DESIGNED TO A DIVING POOL AND THEN ONLY IN DESIGNATED DIVING AREAS).

- » It is recommended that “No Diving” signs be placed at all areas of the pool where diving is not appropriate.
- » Never dive or jump into the shallow end of the pool.
- » Never dive or jump into the pool from the side of the pool, sunbathing platform, steps or pool ladder.
- » Do not allow any diving or headfirst entry into any pool until you are sure the pool is designed for diving and meets all standards for diving pools, such as the standards provided by ANSI/APSP (Association of Pool & Spa Professionals).
- » Your first entry into a pool should be feet first so you can determine water depth and pool configuration. Headfirst entry into the water can lead to a very serious, life-threatening accident.
- » If your pool has variations in depth, install and secure a rope and float line across the width of the pool 1 to 2 feet just before the point where the deep end slope begins. The rope and float line will alert swimmers and divers to the separation of the deep end and the shallow end of the pool. Prohibit playing with or hanging from the rope and float line.*
- » Slides should be used only by adults and children who have been trained and instructed to use them. Children should only use slides under the supervision of adults.

NEVER SWIM ALONE OR ALLOW OTHERS TO SWIM ALONE.

- » Adults should always assist children to enter and exit the pool.

CHECK ALL LADDERS REGULARLY TO ENSURE THAT INSTALLATION IS SECURE.

NEVER SWIM IN A POOL OR USE A SPA OR HOT TUB WITH A BROKEN OR MISSING DRAIN COVER.

- » Never allow children or bathers to play with or swim near drain covers.

POOL WATER SHOULD BE CLEAN AND CLEAR AT ALL TIMES, SUCH THAT THE POOL FLOOR IS VISIBLE AT ALL TIMES FROM OUTSIDE THE POOL.

- » You must see the bottom of the pool clearly to avoid drowning, serious injury, or death.
- » Pool water and pool floor should be clean at all times to avoid slips during pool use. Slipping on the pool floor can lead to serious injury or death.
- » Regularly monitor pool drainage system to ensure that it is functioning properly. If you have concerns about the functionality of the drainage system, contact your installer.

KEEP POOL TOYS AWAY FROM THE POOL WHEN THEY ARE NOT IN USE.

SWIM SAFE

- » Never engage in horseplay or other roughhousing while in or around the pool.
- » Do not run near or around the pool.
- » Never use electronics in or near the pool.
- » Keep all glass products, such as cups, bottles, and containers, away from the pool at all times.

SWIMMING LESSONS ARE HIGHLY ENCOURAGED PRIOR TO POOL USE.

CPR LESSONS ARE HIGHLY ENCOURAGED PRIOR TO POOL USE.

BE PREPARED WITH LIFESAVING EQUIPMENT

- » Keep lifesaving equipment, such as a pole, throw rope, and Coast Guard approved ring or float near the pool with clear signage to indicate where such equipment may be located.
- » A telephone with emergency numbers clearly posted should also be near the pool

NEVER USE THE POOL WHEN USING ALCOHOL OR DRUGS

POOL OWNERS MAY NEED TO COMPLY WITH FEDERAL, STATE, OR LOCAL LAWS, ORDINANCES, AND/OR BUILDING CODES RELATED TO POOL SAFETY REQUIREMENTS.

- » You should contact your local government, neighborhood association, and/or building code enforcement office for further details.

WATER WATCHER



While wearing this tag, I agree to supervise the children in the open water or pool, keeping them in sight at all times.

I will not leave the water area without finding an adult to replace me.

WATER WATCHER: Continuous and attentive adult supervision is required at all times. Thursday Pools suggests that when children are swimming and there are several adults present, make sure kids are actively supervised at all times by choosing a Water Watcher. A Water Watcher is a responsible adult who agrees to watch the kids in the water without distractions and wear a Water Watcher tag. After a certain amount of time (such as 15-minutes), the Water Watcher tag is passed to another adult, who is responsible for the active supervision. Additional information and Water Watcher tags are available at www.safekids.org.



WARNING


NO DIVING OR JUMPING!
Shallow water.



Diving or jumping may result in paralysis, permanent injury, or death.

Never swim alone or allow others to swim alone.
Never leave children or disabled persons unattended in or near the pool.
Install safety barriers, gates, locks, and alarms to prevent unauthorized and unsupervised access to the pool.
Never use the pool when using alcohol or drugs.
Never swim in the pool or spa if it has a broken or missing drain cover.

PREVENT DROWNING



Watch children at all times.

Never swim in the pool or spa if it has a broken or missing drain cover.
Never use glass in or near the pool area.
Do not run or engage in horseplay in or near the pool area.
Never play in or near the suction fillings, and do not put your fingers, toes, other body parts, or hair in or near the suction fillings.

YOU MUST FOLLOW ALL SAFETY RULES TO AVOID ENTRAPMENT, DROWNING, PARALYSIS, PERMANENT INJURY, OR DEATH. IF THERE IS AN EMERGENCY, CALL 911 IMMEDIATELY.

FAILURE TO FOLLOW ALL WARNINGS MAY RESULT IN PROPERTY DAMAGE, BROKEN BONES, ENTRAPMENT, PARALYSIS, DROWNING, OTHER SERIOUS AND LIFE-THREATENING INJURY, OR EVEN DEATH.

For more information on pool safety, you may refer to the American National Standard for Residential Inground Swimming Pools (ANSI/APSP/ICC-5), available for purchase on the Association of Pool & Spa Professionals website at www.apsp.org.

THURSDAY POOLS LLC PRODUCTS

Thursday Pools LLC manufactures only pool shells and spa shells.

Thursday Pools LLC does not manufacture and is therefore not liable for any other pool products or components, including but not limited to filters, valves, pumps, heaters, drainage systems, handrails, ladders, stairs, pool lighting, diving boards, chemical feeders, and pool covers.

Thursday Pools LLC is not liable for any damages caused by products that it did not manufacture, whether those damages arise during the pool installation process or due to unsafe use of those products. Please contact your dealer* regarding the manufacturers of pool components and products not made by Thursday Pools LLC.

*Dealers are independent contractors and not employed by Thursday Pools LLC. Thursday Pools LLC is not liable for services or components provided by independent dealers.

NOTICE AND DISCLAIMER

This NOTICE AND DISCLAIMER is made to all retail customers, buyers, and end users of Thursday Pools.

You are advised that Thursday Pools spas and pools are sold by independent dealers and dealerships. Each dealer is an independent business person, who is completely separate from the manufacturer, Thursday Pools. Each dealer is an independent contractor, and no dealer is an owner, agent (in fact or law), or employee of Thursday Pools. Thursday Pools hereby DISCLAIMS any liability for an intentional or negligent act by any dealer, dealership, or installer, or any damage to any Thursday Pools pool caused by an act of any dealer, dealership, or installer.

Thursday Pools will not be responsible or liable for any damages caused by any dealer, dealership or installer. Thursday Pools, as the manufacturer, offers a separate warranty to all customers and buyers of Thursday Pools. That warranty offered by Thursday Pools, is separate and apart from other or any additional warranty or guarantee offered by any dealer or dealership. Any statement in any advertisement, literature, brochure, or website should NOT be interpreted or construed to expressly or impliedly create any relationship between Thursday Pools and any dealer, dealership, or installer contrary to this Notice and Disclaimer.

POOL SUCTION FITTINGS (DRAIN COVERS)

WARNING!

PLEASE READ CAREFULLY

Your pool is equipped with suction drains that pull water from your pool and transport it to the filter. The suction pressure needed to pull the water is strong and therefore care must be taken to be sure swimmers are not harmed. Your pool has covers over these drains designed to prevent injury. However, care must be taken by the pool owner to be sure that the covers are always secure, not broken in any way and working effectively. In addition, the owner should instruct all swimmers to not swim or play near the drains and to be aware of the warnings below.

- » Never swim in a pool that has a broken or missing drain cover. If that happens, you must close your pool immediately and contact your installer to make the necessary repairs.
- » Never enter the pool if the suction fitting or suction outlet cover (drain cover) is loose, cracked, broken, or missing. If that happens, you must close your pool immediately and contact your installer to make the necessary repairs.
- » Never swim or play near the suction fittings. Your body, hair, and swimwear may be trapped causing permanent injury or drowning.
- » Warn swimmers, and children in particular, never to swim near the suction fittings or stick their fingers, toes, or other body parts into them.
- » Pool users with long hair should be cautioned not to get their hair near a pool outlet. Hair entrapment may cause entrapment, drowning, and even death. If you have long hair, pin it up or wear a bathing cap.

**FAILURE TO FOLLOW THESE WARNINGS MAY RESULT IN
ENTANGLEMENT, ENTRAPMENT, SERIOUS INJURY, OR DEATH.**

If you experience problems with your suction fittings, contact your installer for information on inspection and maintenance options.

POOL PUMPS & FILTERS

WARNING!

PLEASE READ CAREFULLY

The pumps and filters that come with your pool are designed to help keep your pool clean and safe. However, they are electrical equipment that require the pool owner to be diligent to avoid injury.

- » Do not allow children to use this product. Use of this product by children could result in serious injury or death.
- » Water is a conductor of electricity. Electrical shock or electrocution can occur in a pool if live electrical current flowing through appliances and devices (including current from a telephone) comes into contact with the water. Make sure all electrical appliances and devices are protected by a ground fault circuit interrupter (GFCI).
- » Use of this product could result in electric shock. To reduce this risk, connect only to a grounding-type receptacle. This product is provided with a ground-fault circuit interrupter. If replacement of the plug or cord is needed, use only identical replacement parts.
- » Never perform work on your filter equipment without turning off the entire system and bleeding off the internal pressure.
- » When you restart your filter after maintenance, or when you are turning on your equipment to put your pool in operation, always bleed off the air in your filter tank and then stand back. Serious bodily injury can occur if the top of the filter separates from the bottom with sudden force because of some problem or error on your part. Always securely clamp the top and bottom of a two-piece filter in accordance with the manufacturer's instructions.
- » Do not bury the electrical cord.
- » Do not plug in or unplug this product while standing in water or while your hands are wet. Doing so may result in serious injury or death.

FAILURE TO FOLLOW THESE WARNINGS MAY RESULT IN PROPERTY DAMAGE, ELECTRIC SHOCK, ENTANGLEMENT, ENTRAPMENT, SERIOUS INJURY, OR DEATH.

Your pump and filters also require proper maintenance and servicing. If you experience problems with your pump and/or filter, contact your installer for information on inspection and maintenance options.

WARNING!

- » Do not service the filter pump while the pool is occupied or in use.
- » **STRONG SUCTION.** Keep hands, toes, feet, and other body parts away from the skimmer and floating cover opening when the filter pump is operating.
- » Turn off or unplug the filter pump before doing any work on the pump, such as adjusting, cleaning, or servicing.
- » Never run the pump dry. This may cause the motor to overheat and could damage the pump.

POOL MAINTENANCE & CHEMICALS

PLEASE READ CAREFULLY

WATER MAINTENANCE

- » Proper maintenance of the pool water by using the appropriate balance of chemicals is an important factor in maximizing the life, appearance and safe use of the Pool and Spa Shell, as well as ensuring clear and sanitary pool water.
- » Refer to your pool professional or installer for chemicals, chemical kits, instructions, and procedures.
- » Read and follow the written instructions provided by the chemical manufacturer or installer carefully.

INSTRUCTIONS FOR WATER MAINTENANCE

- » Always dissolve chlorine granular or tablet in water before adding it to the pool. For liquid chlorine, mix it with pool water prior to adding it into the pool.
- » Do not add chemicals to the pool while the pool is occupied. This can cause skin or eye irritation.
- » Thoroughly dissolve each chemical into the pool water before adding another chemical into the pool water.
- » Always add the chemicals into the pool separately. Never mix chemicals together.
- » The Thursday Pools Lucky 7 Skimmer™ will assist with maintaining clear and hygienic pool water. See your pool installer for these pool accessories.



WARNING!

- » Chemicals needed for clean, sanitized water are potentially harmful when stored or used improperly. If mixed with other chemicals or elements, explosions and fire can occur. Read the label and follow manufacturers' instructions. Always store chemicals where they cannot be reached by children.
- » Water chemistry levels must remain within the appropriate levels at all times. Failure to do so can cause permanent damage to the pool surface and pool color. It is beyond the scope of this manual to explain all relevant details of water chemistry and maintaining balanced water. If you are not qualified, seek professional help to maintain proper water chemistry levels and properly balanced pool water.
- » Keep all water clean and sanitized to protect users from water-related illnesses.
- » Do not swallow pool water.
- » Always practice good hygiene when using the pool.
- » Pool water should be clean and clear at all times, such that the pool floor should be visible at all times from the outside barrier of the pool.
- » Pool water and pool floor should be clean at all times to avoid slips during pool use. Slipping on the pool floor can lead to serious injury or death.

INSTRUCTIONS FOR POOL SURFACE CARE

- » Body oils, sun tan lotions, and airborne contaminants can sometimes build up on the pool surface along the water line. These can easily be wiped away using a mild detergent, fiberglass or vinyl cleaner. DO NOT use abrasive cleaners, automatic dish detergent, steel wool, metal scrapers, or other brushes or tools, as they can cause permanent damage to the gel coat finish. Although it is rarely necessary, a dulled gel coat finish above the water line may be restored with a heavy cut automotive polishing compound, power or hand applied, followed by a coat of wax. Use only a wax recommended for fiberglass and follow instructions carefully. DO NOT wax in direct sunlight.
- » The gel coat finish of your Thursday Pools® is a glass surface and can be scratched like any other gloss or glass surface. Due to the thickness of our gel coat, you generally do not need to concern yourself with these scratches. They are only superficial.

REPAIRING POOL SURFACE SCRATCHES

- » In order to repair surface scratches, you will need to wet sand the area. Start with a 1000-grit sand paper and move your way down (800, 600, 400) to a coarser sand paper. Stop when you reach a level of sand paper that is able to sand the scratches out. Do not exceed a 400-grit sand paper. Then, follow it back up and finish with 1000 or even a 1200 grit sand paper. A heavy cut automotive polishing or buffing compound can be used.

EQUIPMENT MAINTENANCE

- » Safe sparkling blue water is a result of reaching the ideal filtration and water chemistry balance. Pool equipment packages and suggested maintenance vary by manufacturer, dealer and geographic region. You should consult your local dealer and your specific equipment operation manuals for more information on maintenance recommendations.

POOL OPENING

- » Remove any water from on top of the cover and remove the winter cover or open your automatic safety cover.
- » Check water level. Ensure your pool water level is appropriately 1/2 to 3/4 of the way up on the pool skimmer.
- » Remove debris from inside your pool.
- » Get your pool equipment running and let your pool water circulate for 12 to 24 hours.
- » After you have allowed your water to circulate properly, you should clean out your skimmer basket(s) and test your pool water. If you use reagents as part of your test kit, consider replacing them. Reagents should be replaced every season.
- » Adjust the water chemistry as needed until your pool water is properly balanced and water chemistry levels are within range. Seek a knowledgeable professional for assistance.

POOL WINTERIZATION

- » Prior to winterization, ensure your water chemistry levels are within the recommended ranges and that your pool water is properly balanced and at the proper water level. Do NOT lower your pool water below the skimmer. Wipe down the scum line or tile line. Clean out your skimmer basket and remove any remaining debris that may be in the pool. Special care may need to be taken to eliminate the possibility of freezing pool plumbing lines and equipment. Be sure to prepare equipment and plumbing lines following dealer instructions and equipment manufacturers' instructions.

WATER CHEMISTRY

PLEASE READ CAREFULLY

To ensure you protect the surface finish of your fiberglass pool, you must maintain a properly balanced pool at all times. Properly balanced water chemistry means maintaining the following APSP (Association of Pool & Spa Professional) and NSPF (National Swimming Pool Foundation) recommended levels: procedures.

CHLORINE RESIDUAL - 1.0 TO 3.0 PPM

PH LEVEL - 7.2 TO 7.6

TOTAL ALKALINITY - 80 TO 120 PPM

CALCIUM HARDNESS - 200 TO 400 PPM

CYANURIC ACID (CHLORINE STABILIZER) - 30 TO 50 PPM

METALS - 0 PPM

TDS - LESS THAN 1500 PPM

SI - SATURATION INDEX (-0.3 TO +0.3) IDEAL IS 0. (IF YOU HAVE A SALT SYSTEM, YOUR SATURATION INDEX SHOULD BE BETWEEN -0.2 TO .2 TO ACCOUNT FOR THE ADDITIONAL CORROSIVE CHARACTERISTICS OF SALT.)

SALT - 2700 TO 3400 PPM (ONLY NECESSARY IF USING A SALT GENERATOR.)

Remember, having crystal clear water does not necessarily mean that you have balanced water. You should check your water chemistry levels regularly. Be sure to test and record your water chemistry levels at least once a week and adjust accordingly. Consult a knowledgeable pool professional for help and see our resources for more tools that can help you better understand proper pool care.

NOTICE

Pool surface color can discolor, fade, stain, yellow, or scale as the result of improper water chemistry and unbalanced water. Water chemistry is extremely important to all aspects of your pool and equipment.

Salt Generators drive up pH and routinely require pH adjustment. Salt Generators can also easily produce damaging amounts of chlorine. Please monitor levels and adjust daily. High levels of chlorine can cause permanent damage to pool surface, cause fading, and discoloration.

WATER CHEMISTRY RECOMMENDED RESOURCES AND TOOLS*

YOU ARE RESPONSIBLE FOR THE CARE OF YOUR POOL. Please invest the time and energy into educating yourself on water chemistry and proper pool care. Here are some resources we recommend.

WATER TEST KITS

For Traditional Chlorine Pools

2000 Complete, Alkalinity/Bromine & Chlorine
(high range) DPD/CYA/Hardness/pH
Part No. K-2005



For Traditional Salt Pools

2000 Complete, Alkalinity/Bromine &
Chlorine (high range) DPD/CYA/Hardness/
NaCl/pH
Part No. K-2005-SALT



WATER BALANCE CALCULATOR

Water Balance Calculator - Watergram
Part No. 6026



TEST STRIPS

Test Strips, sureTRACK

Total Balance foiled strips in slide dispenser
w/ app, Alk/Br/Cl/CYA/H/pH, 30 ct
Part No. S-1316



Test Strips, sureTRACK Salt

Foiled strips in slide dispenser, Sodium
Chloride 0-5000 ppm, 30 ct
Part No. S-1317




EDUCATIONAL BOOKLETS

“Pool & Spa Water Chemistry”

Part No. 2004B

“I Never Liked Chemistry”

Part No. 5695



*Each of the following items can be purchase from www.TaylorTechnologies.com. Taylor Technologies is a leading developer and manufacturer of water-testing kits and reagents for the pool/spa and industrial sectors. With unparalleled customer service and support, Taylor is the go-to for every distributor, retailer, commercial operation, and homeowner...wherever water is tested. Need Help? 800-TEST KIT (800-837-8548)

WATER LEVEL - DO NOT DRAIN POOL

PLEASE READ CAREFULLY

Your fiberglass pool is designed to remain full of water at all times. The water level in your pool should be maintained at center to 3/4 of the way up on the skimmer. Maintaining a water level too high or too low will result in your skimmer functioning improperly and/or inefficient.

NOTICE

DO NOT DRAIN YOUR POOL UNLESS YOUR POOL IS EQUIPPED WITH THE FIBERGLASS POOL ANCHORING SYSTEM*

- » Fiberglass Pools are to remain full of water at all times.
- » Lowering the water level below the pool skimmer does ****VOID YOUR WARRANTY****. If it becomes necessary to drain your pool, contact your local Thursday Pools® dealer.
- » If the pool is drained, hydrostatic or ground pressure outside the pool may cause the structure to buckle or crack. All damage to the pool shell resulting from improper pool drainage is the homeowner's responsibility.
- » If your pool is outfitted with the Fiberglass Pool Anchoring System, you must complete the Proper Procedure Checklist for Draining document and have received confirmation to proceed. Please also refer to the Proper Procedure Checklist for Pool Draining. (SEE ATTACHMENT A: Proper Procedure Checklist for Draining). ******

*If your pool is equipped with the Fiberglass Pool Anchoring System, your pool can be drained safely. In order to maintain your structural warranty, you must contact Thursday Pools® in advance of lowering your water and complete a proper procedure check list.

Call 877-929-7665 and let us know that you have the Fiberglass Pool Anchoring System and need to lower your pool water level.

ATTACHMENT A - POOL DRAINING CHECKLIST

PROPER PROCEDURE CHECKLIST FOR POOL DRAINING (FPA SYSTEM ONLY)

Your fiberglass pool is designed to remain full of water at all times and should not be drained. In some circumstances, draining may be appropriate but only if your pool is equipped with the Fiberglass Pool Anchoring System®. Also, all swimming pools require caution when being emptied or lowered of pool water. To ensure that you have the best experience possible, we require that you read and understand the following items. We have already gone through these items with you over the phone or in person, but it is our policy to have this document on file in advance of you draining the pool. **Please read and fill out the following information to the best of your ability.** To maintain your structural pool warranty, this document must be on file with Thursday Pools prior to the draining or lowering of your pool water.

Pool Owner's Name: (First) _____ (Last) _____

Pool Street Address: _____ City: _____

State: _____ Zip: _____ Best Phone: _____

Pool Builder: _____ Year Built: _____

Thursday Pools® Pool Model/ Size: _____ Pool Depth: _____

Are you the original pool owner? Y/N If no, was the warranty transferred to you? Y/N

Are you emptying the pool completely? Y/N If no, explain how much water you plan on draining from the pool. _____

What is the purpose for draining the pool water? Explain: _____

What dates are you draining the pool? Drain Date: _____ Re-Fill Date: _____

Have you confirmed no rain is forecasted for those dates? Y/N

Will a swimming pool professional be assisting you? Y/N If yes, please provide their name and contact information: _____

Have you confirmed that your pool is equipped with a fiberglass pool anchoring system? Y/N

Do you have a sump pump on site ready and available if necessary? Y/N

Signature (Pool Owner's Authorized signature)

Date

OFFICE USE ONLY

Proper procedures were reviewed with pool owner on _____ by _____

How were the procedures shared with the pool owner? in person ___ Phone___ Other _____

Date checklist received _____ Received by _____

Approved by TP _____

This document may be faxed to (317)565-2674, emailed to e.vondell@thursdaypools.com, or mailed to 840 Commerce Parkway, Fortville, IN 46040.

WARRANTY DOCUMENTS

PLEASE READ CAREFULLY

If you have not already done so, please go online and register your pool for your warranty at <https://thursdaypools.com/warrantyregistration/>

Registration should be completed within 30 days of receipt or installation of the pool.

In the pages that follow, please find copies of the One-Time Transferable Limited Lifetime Structural Warranty and 15-Year Surface Warranty Against Osmotic Blistering as well as the FPA One-Time Transferable Limited Lifetime Structural Warranty and 15-Year Surface Warranty Against Osmotic Blistering. The FPA One-Time Transferable Limited Lifetime Structural Warranty and 15-Year Surface Warranty Against Osmotic Blistering is not a standard warranty and only applies to pools purchased with the Fiberglass Pool Anchoring System.

THURSDAY POOLS.

Your weekend starts early with us

ONE-TIME TRANSFERABLE LIMITED LIFETIME STRUCTURAL WARRANTY AND
15-YEAR SURFACE WARRANTY AGAINST OSMOTIC BLISTERING

Keep This Information for Your Records

Thursday Pools LLC, located at 840 Commerce Parkway, Fortville, IN 46040, provides the above-titled warranty to the original purchaser of the pool and provides a one-time transfer to a subsequent owner.

STRUCTURAL. A pool purchased from Thursday Pools LLC is warranted not to leak due to structural failures caused by workmanship and material used in the manufacturing for the Lifetime of the pool.

SURFACE. Thursday Pools LLC will warrant the surface of the pool from osmotic blistering for a period of FIFTEEN (15) years.

Water chemistry is extremely critical to maintain safe and healthy water and protect the surface finish of your pool. To protect the surface finish, you must maintain proper water balance and sanitation levels at all times. Review the factors listed below and maintain the following levels:

Chlorine Residual — 1.0 to 3.0 ppm
pH Level - 7.2 to 7.6
Total Alkalinity — 80 to 120 ppm
Calcium Hardness — 200 to 400 ppm
Cyanuric Acid (chlorine stabilizer) 30 to 50 ppm
Metals — 0 ppm
TDS- Less than 1500 ppm
SI -Saturation Index — (-0.3 to +0.3) Ideal is 0. (If you have a salt system, your saturation index should be between (-0.2 to 0.2) to account for the additional corrosive characteristics of salt.)
Salt -2700 to 3400 ppm (Only necessary if using a salt generator.)

This list is not a conclusive list of chemicals that affect water chemistry.

ITEMS INCLUDED. Thursday Pools LLC manufactures the pool or spa shell only. It does not manufacture the pumps, hoses, piping, pool covers, heaters or other items that may be used in a pool or spa installation. Thursday Pools LLC warrants only the pool shell and spa shell, and only from defects in materials and workmanship.

ITEMS EXCLUDED. The following items are specifically excluded from this warranty:

Pumps, hoses, piping, pool covers, heaters and other items not manufactured by Thursday Pools LLC. These items may be covered under other manufacturers warranties.
Damage caused by abuse or misuse of lack or reasonable maintenance and care or improper installation.
Damage caused by landscaping or drainage.
Damage caused during transport.
Damage caused from improper installation that includes but is not limited to failure to install 8" sump pump or well pit or failure to comply with recommended backfill guidelines.
Discoloration, staining, fading, hairline cracks, surface roughness, color variation, surface yellowing, whitening, calcium scale, or mineral deposits on the surface of the pool.
Damage to the pool resulting from natural occurrences such as, ground shifting, landslides, tornadoes, and earthquakes.
Repairs made to the pool from anyone other than an authorized representative of Thursday Pools LLC.
Issues regarding inability to exactly match factory finish or color, even if repairs to the color and surface texture are made by an authorized Thursday Pools LLC representative.

DAMAGE TO THE SURFACE of the pool caused by not maintaining properly balanced water chemistry as set forth in the Thursday Pool. **FINISH CHARACTERISTICS NOT COVERED UNDER WARRANTY ARE: DISCOLORATION, FADING, WHITENING, STAINING, YELLOWING, MINERAL DEPOSITS, CALCIUM SCALE, COLOR VARIATION AND HAIRLINE CRACKS.**

Maintenance Manual.

VOIDING THE ONE-TIME TRANSFERABLE LIMITED WARRANTY. This warranty is rendered null and void if:

- The product is used for anything other than residential use.
- This pool water is ever allowed to go below the skimmer.
- Pool installation does not follow recommended install instructions including proper backfill material and well pit.

Warning: allowing the water level to go below the skimmer puts different loads on the walls of the pool and can cause major structural failures. **Do not drain the pool!**

TRANSFERABILITY. This warranty applies to the original purchaser of the Thursday Pools LLC product. A one-time transfer is allowable to a subsequent owner with the proper documentation, procedures and fee. A request in writing must be sent to Thursday Pools LLC in writing at 840 Commerce Parkway, Fortville, IN 46040 or such address as may be posted at www.thursdaypools.com within thirty (30) days of the

Form 7.2.3-6 One-Time Transferable Limited Lifetime Structural Warranty and 15-Year Surface Warranty Against Osmotic Blistering

THURSDAY POOLS.

Your weekend starts early with us

ONE-TIME TRANSFERABLE LIMITED LIFETIME STRUCTURAL WARRANTY AND
15-YEAR SURFACE WARRANTY AGAINST OSMOTIC BLISTERING

Keep This Information for Your Records

Thursday Pools LLC, located at 840 Commerce Parkway, Fortville, IN 46040, provides the above-titled warranty to the original purchaser of the pool and provides a one-time transfer to a subsequent owner.

STRUCTURAL. A pool purchased from Thursday Pools LLC is warranted not to leak due to structural failures caused by workmanship and material used in the manufacturing for the Lifetime of the pool.

SURFACE. Thursday Pools LLC will warrant the surface of the pool from osmotic blistering for a period of FIFTEEN (15) years.

Water chemistry is extremely critical to maintain safe and healthy water and protect the surface finish of your pool. To protect the surface finish, you must maintain proper water balance and sanitation levels at all times. Review the factors listed below and maintain the following levels:

Chlorine Residual — 1.0 to 3.0 ppm
pH Level - 7.2 to 7.6
Total Alkalinity — 80 to 120 ppm
Calcium Hardness — 200 to 400 ppm
Cyanuric Acid (chlorine stabilizer) 30 to 50 ppm
Metals — 0 ppm
TDS- Less than 1500 ppm
SI -Saturation Index — (-0.3 to +0.3) Ideal is 0. (If you have a salt system, your saturation index should be between (-0.2 to 0.2) to account for the additional corrosive characteristics of salt.)
Salt -2700 to 3400 ppm (Only necessary if using a salt generator.)

This list is not a conclusive list of chemicals that affect water chemistry.

ITEMS INCLUDED. Thursday Pools LLC manufactures the pool or spa shell only. It does not manufacture the pumps, hoses, piping, pool covers, heaters or other items that may be used in a pool or spa installation. Thursday Pools LLC warrants only the pool shell and spa shell, and only from defects in materials and workmanship.

ITEMS EXCLUDED. The following items are specifically excluded from this warranty:

Pumps, hoses, piping, pool covers, heaters and other items not manufactured by Thursday Pools LLC. These items may be covered under other manufacturers warranties.
Damage caused by abuse or misuse of lack or reasonable maintenance and care or improper installation.
Damage caused by landscaping or drainage.
Damage caused during transport.
Damage caused from improper installation that includes but is not limited to failure to install 8" sump pump or well pit or failure to comply with recommended backfill guidelines.
Discoloration, staining, fading, hairline cracks, surface roughness, color variation, surface yellowing, whitening, calcium scale, or mineral deposits on the surface of the pool.
Damage to the pool resulting from natural occurrences such as, ground shifting, landslides, tornadoes, and earthquakes.
Repairs made to the pool from anyone other than an authorized representative of Thursday Pools LLC.
Issues regarding inability to exactly match factory finish or color, even if repairs to the color and surface texture are made by an authorized Thursday Pools LLC representative.

DAMAGE TO THE SURFACE of the pool caused by not maintaining properly balanced water chemistry as set forth in the Thursday Pool. **FINISH CHARACTERISTICS NOT COVERED UNDER WARRANTY ARE: DISCOLORATION, FADING, WHITENING, STAINING, YELLOWING, MINERAL DEPOSITS, CALCIUM SCALE, COLOR VARIATION AND HAIRLINE CRACKS.**

Maintenance Manual.

VOIDING THE ONE-TIME TRANSFERABLE LIMITED WARRANTY. This warranty is rendered null and void if:

- The product is used for anything other than residential use.
- This pool water is ever allowed to go below the skimmer.
- Pool installation does not follow recommended install instructions including proper backfill material and well pit.

Warning: allowing the water level to go below the skimmer puts different loads on the walls of the pool and can cause major structural failures. **Do not drain the pool!**

TRANSFERABILITY. This warranty applies to the original purchaser of the Thursday Pools LLC product. A one-time transfer is allowable to a subsequent owner with the proper documentation, procedures and fee. A request in writing must be sent to Thursday Pools LLC in writing at 840 Commerce Parkway, Fortville, IN 46040 or such address as may be posted at www.thursdaypools.com within thirty (30) days of the

Form 7.2.3-6 One-Time Transferable Limited Lifetime Structural Warranty and 15-Year Surface Warranty Against Osmotic Blistering

THURSDAY POOLS.

Your weekend starts early with us

ONE-TIME TRANSFERABLE LIMITED LIFETIME STRUCTURAL WARRANTY AND 15-YEAR SURFACE WARRANTY AGAINST OSMOTIC BLISTERING

Keep This Information for Your Records

Thursday Pools LLC, located at 840 Commerce Parkway, Fortville, IN 46040, provides the above-titled warranty to the original purchaser of the pool and provides a one-time transfer to a subsequent owner.

STRUCTURAL. A pool purchased from Thursday Pools LLC is warranted not to leak due to structural failures caused by workmanship and material used in the manufacturing for the Lifetime of the pool.

SURFACE. Thursday Pools LLC will warrant the surface of the pool from osmotic blistering for a period of FIFTEEN (15) years.

Water chemistry is extremely critical to maintain safe and healthy water and protect the surface finish of your pool. To protect the surface finish, you must maintain proper water balance and sanitation levels at all times. Review the factors listed below and maintain the following levels:

Chlorine Residual — 1.0 to 3.0 ppm

pH Level - 7.2 to 7.6

Total Alkalinity — 80 to 120 ppm

Calcium Hardness — 200 to 400 ppm

Cyanuric Acid (chlorine stabilizer) 30 to 50 ppm

Metals — 0 ppm

TDS- Less than 1500 ppm

SI -Saturation Index — (-0.3 to +0.3) Ideal is 0. (If you have a salt system, your saturation index should be between (-0.2 to 0.2) to account for the additional corrosive characteristics of salt.)

Salt -2700 to 3400 ppm (Only necessary if using a salt generator.)

This list is not a conclusive list of chemicals that affect water chemistry.

ITEMS INCLUDED. Thursday Pools LLC manufactures the pool or spa shell only. It does not manufacture the pumps, hoses, piping, pool covers, heaters or other items that may be used in a pool or spa installation. Thursday Pools LLC warrants only the pool shell and spa shell, and only from defects in materials and workmanship.

ITEMS EXCLUDED. The following items are specifically excluded from this warranty:

Pumps, hoses, piping, pool covers, heaters and other items not manufactured by Thursday Pools LLC. These items may be covered under other manufacturers warranties.

Damage caused by abuse or misuse of lack or reasonable maintenance and care or improper installation.

Damage caused by landscaping or drainage.

Damage caused during transport.

Damage caused from improper installation that includes but is not limited to failure to install 8" sump pump or well pit or failure to comply with recommended backfill guidelines.

Discoloration, staining, fading, hairline cracks, surface roughness, color variation, surface yellowing, whitening, calcium scale, or mineral deposits on the surface of the pool.

Damage to the pool resulting from natural occurrences such as, ground shifting, landslides, tornadoes, and earthquakes.

Repairs made to the pool from anyone other than an authorized representative of Thursday Pools LLC.

Issues regarding inability to exactly match factory finish or color, even if repairs to the color and surface texture are made by an authorized Thursday Pools LLC representative.

DAMAGE TO THE SURFACE of the pool caused by not maintaining properly balanced water chemistry as set forth in the Thursday Pool. **FINISH CHARACTERISTICS NOT COVERED UNDER WARRANTY ARE: DISCOLORATION, FADING, WHITENING, STAINING, YELLOWING, MINERAL DEPOSITS, CALCIUM SCALE, COLOR VARIATION AND HAIRLINE CRACKS.**

Maintenance Manual.

VOIDING THE ONE-TIME TRANSFERABLE LIMITED WARRANTY. This warranty is rendered null and void if:

- The product is used for anything other than residential use.
- This pool water is ever allowed to go below the skimmer.
- Pool installation does not follow recommended install instructions including proper backfill material and well pit.

Warning: allowing the water level to go below the skimmer puts different loads on the walls of the pool and can cause major structural failures. **Do not drain the pool!**

TRANSFERABILITY. This warranty applies to the original purchaser of the Thursday Pools LLC product. A one-time transfer is allowable to a subsequent owner with the proper documentation, procedures and fee. A request in writing must be sent to Thursday Pools LLC in writing at 840 Commerce Parkway, Fortville, IN 46040 or such address as may be posted at www.thursdaypools.com within thirty (30) days of the

transfer. Photographic proof of the product must be provided in order to insure that the product has had proper maintenance. A fee of \$75 (subject to change) must be included with the above documentation. Thursday Pools LLC can accept or deny the transfer if it determines in its sole discretion the pool has not had proper maintenance.

OBTAINING WARRANTY SERVICE. Customer must contact Thursday Pools LLC in writing at 840 Commerce Parkway, Fortville, IN 46040 or such address as may be posted at www.thursdaypools.com within thirty (30) days of the claimed defect and within the applicable warranty period to begin process for warranty service authorization. Dated proof of original purchase from Thursday Pools LLC or its authorized distributor or dealer will be required. If an inspection is requested a photographic document must be provided to Thursday Pools LLC in order to determine the best remedy for a solution. Customer agrees to permit inspection of the product by an approved Thursday Pool LLC inspector or representative of Thursday Pools LLC. Product must be paid in full, before any warranty work will begin.

APPLICABILITY. This warranty applies when the warranted product (a) is installed in accordance with the manufacturer's specifications, (b) is properly and reasonably maintained, and (c) has not been subjected to damage, misuse, or abuse, and (d) is for residential use only.

WARRANTY EXCLUSIONS AND LIMITATIONS. IF THE PRODUCT DOES NOT OPERATE AS WARRANTED ABOVE, CUSTOMER'S SOLE REMEDY FOR BREACH OF THE WARRANTY SHALL BE **REPLACEMENT OR REPAIR OF THE PRODUCT OR REFUND OF A PORTION OF THE PURCHASE PRICE PAID, AT THURSDAY POOLS LLC'S OPTION, AND UNDER NO CIRCUMSTANCES SHALL THURSDAY POOLS LLC BE LIABLE FOR CONSEQUENTIAL, INCIDENTAL, OR DAMAGES OTHER THAN THE REPAIR AND REPLACEMENT SET FORTH ABOVE.. TO THE FULL EXTENT ALLOWED BY LAW, THE FOREGOING WARRANTIES AND REMEDIES ARE EXCLUSIVE AND ARE IN LIEU OF ALL OTHER WARRANTIES, TERMS OR CONDITIONS, EXPRESS OR IMPLIED, EITHER IN FACT OR BY OPERATION OF LAW, STATUTORY OR OTHERWISE, INCLUDING WARRANTIES, TERMS OR CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, SATISFACTORY QUALITY AND NONINFRINGEMENT, ALL OF WHICH ARE EXPRESSLY DISCLAIMED OR LIMITED TO THE TERMS OF THE EXPRESS WARRANTY. THURSDAY POOLS LLC NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME ANY OTHER LIABILITY IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE OR USE OF ITS PRODUCTS.**

BUYER'S RESPONSIBILITY. It is the buyer's responsibility to use reasonable care in the use of this pool. Buyer should be familiar with all the safety precautions that are required in dealing with any pool. These include, but are not limited to chemical, mechanical, drowning and diving issues. If a claim is made requiring repair or replacement, Buyer is responsible for emptying and refilling of all water. Pool must be provided during normal working hours and be empty of water.

THURSDAY POOLS LLC RESPONSIBILITY. Thursday Pools LLC is responsible to repair or replace the affected product within a reasonable amount of time. Thursday Pools LLC has the option to decide what remedy may be performed. If Thursday Pools LLC decides to replace a product and does not have the exact product available they must replace the product with something similar or larger at no additional cost to the Buyer. Thursday Pools LLC will only be responsible to provide the replacement product. Any additional cost of removing, replacing or damage to landscape or decks is not the responsibility of Thursday Pools LLC.

SPECIFIC LEGAL RIGHTS. This One-Time Transferable Limited Lifetime Structural Warranty and 15-Year Surface Warranty Against Osmotic Blistering gives you specific legal rights, and you may also have rights which vary from state to state. Some states do not allow limitations on how long an implied warranty lasts, so the above warranty may not apply to you. Some states do not allow the exclusion of incidental or consequential damages, so the above limitation or exclusion may not apply to you. When the implied warranties are not allowed to be excluded in their entirety, they will be limited to the duration of this One-Time Transferable Limited Warranty.

GOVERNING LAW. This One-Time Transferable Limited Lifetime Structural Warranty and 15-Year Surface Warranty Against Osmotic Blistering shall be governed exclusively by the internal laws of the State of Indiana.

DISPUTE RESOLUTION. Any controversy or claim arising out of or relating to this One-Time Transferable Limited Lifetime Structural Warranty and 15-Year Surface Warranty Against Osmotic Blistering, or the breach thereof, shall be settled by non-binding arbitration according to the Indiana Rules for Alternative Dispute Resolution.

IN THE EVENT OF A STRUCTURAL OR FINISH FAILURE. Thursday Pools LLC, at its sole discretion, will make the determination of the cause of an alleged structural issue. Such determination shall include who caused the structural issues be it Thursday Pools LLC resulting from faulty workmanship or materials used in the manufacture of the pool shell, a Contractor, or from some other cause.

In the event that a leak occurs in the pool shell as a result of faulty workmanship or materials used in the manufacture of the pool shell, Thursday Pools LLC at its sole discretion shall make the determination as to repairing or replacing the pool and will not be liable or responsible for any loss or damage to property, including but not limited to any fencing, landscaping, patios, sidewalks, or any other improvements connected to, or not connected to the pool shell.

In the event that Thursday Pools LLC determines a leak occurred in the pool shell as a result of faulty workmanship or materials used in the manufacture of the pool shell, it agrees to cover all reasonable cost to drain the pool and replace the water and initial dose of chemical treatment in the pool. If a replacement pool is needed, Thursday Pools LLC will cover the cost of transporting the pool to the installation site but is not responsible for the cost of removal or replacement of pool or any other items.

It is the duty of the purchaser to provide access to the pool repair site during normal business hours.

Following repair or replacement, the pool shell will then be warrantied for the unexpired portion of the warranty. Under no conditions will Thursday Pools LLC compensate the Purchaser for loss of time, or all, of the purchase price of the pool shell for any reason. Warranty is limited to cost of repair and Thursday Pools LLC shall have no other obligations.

THURSDAY POOLS.

Your weekend starts early with us

FPA ONE-TIME TRANSFERABLE LIMITED LIFETIME STRUCTURAL WARRANTY AND 15-YEAR SURFACE WARRANTY AGAINST OSMOTIC BLISTERING

Keep This Information for Your Records

Thursday Pools LLC, located at 840 Commerce Parkway, Fortville, IN 46040, provides the above-titled warranty to the original purchaser of the pool and provides a one-time transfer to a subsequent owner.

STRUCTURAL. A pool purchased from Thursday Pools LLC is warranted not to leak due to structural failures caused by workmanship and material used in the manufacturing for the Lifetime of the pool.

SURFACE. Thursday Pools LLC will warrant the surface of the pool from osmotic blistering for a period of FIFTEEN (15) years.

Water chemistry is extremely critical to maintain safe and healthy water and protect the surface finish of your pool. To protect the surface finish, you must maintain proper water balance and sanitation levels at all times. Review the factors listed below and maintain the following levels:

Chlorine Residual — 1.0 to 3.0 ppm

pH Level - 7.2 to 7.6

Total Alkalinity — 80 to 120 ppm

Calcium Hardness — 200 to 400 ppm

Cyanuric Acid (chlorine stabilizer) 30 to 50 ppm

Metals — 0 ppm

TDS- Less than 1500 ppm

SI -Saturation Index — (-0.3 to +0.3) Ideal is 0. (If you have a salt system, your saturation index should be between (-0.2 to 0.2) to account for the additional corrosive characteristics of salt.)

Salt -2700 to 3400 ppm (Only necessary if using a salt generator.)

This list is not a conclusive list of chemicals that affect water chemistry.

ITEMS INCLUDED. Thursday Pools LLC manufactures the pool or spa shell only. It does not manufacture the pumps, hoses, piping, pool covers, heaters or other items that may be used in a pool or spa installation. Thursday Pools LLC warrants only the pool shell and spa shell, and only from defects in materials and workmanship.

ITEMS EXCLUDED. The following items are specifically excluded from this warranty:

Pumps, hoses, piping, pool covers, heaters and other items not manufactured by Thursday Pools LLC. These items may be covered under other manufacturers warranties.

Damage caused by abuse or misuse of lack of reasonable maintenance and care or improper installation.

Damage caused by landscaping or drainage.

Damage caused during transport.

Damage caused from improper installation that includes but is not limited to failure to install 8" sump pump or well pit or failure to comply with recommended backfill guidelines.

Discoloration, staining, fading, hairline cracks, surface roughness, color variation, surface yellowing, whitening, calcium scale, or mineral deposits on the surface of the pool.

Damage to the pool resulting from natural occurrences such as, ground shifting, landslides, tornadoes, and earthquakes.

Repairs made to the pool from anyone other than an authorized representative of Thursday Pools LLC.

Issues regarding inability to exactly match factory finish or color, even if repairs to the color and surface texture are made by an authorized Thursday Pools LLC representative.

DAMAGE TO THE SURFACE of the pool caused by not maintaining properly balanced water chemistry as set forth in the Thursday Pool. **FINISH CHARACTERISTICS NOT COVERED UNDER WARRANTY ARE: DISCOLORATION, FADING, WHITENING, STAINING, YELLOWING, MINERAL DEPOSITS, CALCIUM SCALE, COLOR VARIATION AND HAIRLINE CRACKS.**

Maintenance Manual

VOIDING THE ONE-TIME TRANSFERABLE LIMITED WARRANTY. This warranty is rendered null and void if:

- The product is used for anything other than residential use.
- Pool water level is lowered or drained without obtaining written approval from Thursday Pools LLC. You must use the Thursday Pools
- Pool installation does not follow recommended install instructions including proper backfill material and well pit.

Form 7.2.3-9 Checklist For Pool Draining and have approval before water level is lowered.

Warning: allowing the water level to go below the skimmer puts different loads on the walls of the pool and can cause major structural failures. **Do not drain the pool!**

Form 7.2.3-6 FPA One-Time Transferable Limited Lifetime Structural Warranty and 15-Year Surface Warranty Against Osmotic Blistering

TRANSFERABILITY. This warranty applies to the original purchaser of the Thursday Pools LLC product. A one-time transfer is allowable to a subsequent owner with the proper documentation, procedures and fee. A request in writing must be sent to Thursday Pools LLC in writing at 840 Commerce Parkway, Fortville, IN 46040 or such address as may be posted at www.thursdaypools.com within thirty (30) days of the transfer. Photographic proof of the product must be provided in order to insure that the product has had proper maintenance. A fee of \$75 (subject to change) must be included with the above documentation. Thursday Pools LLC can accept or deny the transfer if it determines in its sole discretion the pool has not had proper maintenance.

OBTAINING WARRANTY SERVICE. Customer must contact Thursday Pools LLC in writing at 840 Commerce Parkway, Fortville, IN 46040 or such address as may be posted at www.thursdaypools.com within thirty (30) days of the claimed defect and within the applicable warranty period to begin process for warranty service authorization. Dated proof of original purchase from Thursday Pools LLC or its authorized distributor or dealer will be required. If an inspection is requested a photographic document must be provided to Thursday Pools LLC in order to determine the best remedy for a solution. Customer agrees to permit inspection of the product by an approved Thursday Pool LLC inspector or representative of Thursday Pools LLC. Product must be paid in full, before any warranty work will begin.

APPLICABILITY. This warranty applies when the warranted product (a) is installed in accordance with the manufacturer's specifications, (b) is properly and reasonably maintained, and (c) has not been subjected to damage, misuse, or abuse, and (d) is for residential use only.

WARRANTY EXCLUSIONS AND LIMITATIONS. IF THE PRODUCT DOES NOT OPERATE AS WARRANTED ABOVE, CUSTOMER'S SOLE REMEDY FOR BREACH OF THE WARRANTY SHALL BE **REPLACEMENT OR REPAIR** OF THE PRODUCT OR REFUND OF A PORTION OF THE PURCHASE PRICE PAID, AT THURSDAY POOLS LLC'S OPTION, **AND UNDER NO CIRCUMSTANCES SHALL THURSDAY POOLS LLC BE LIABLE FOR CONSEQUENTIAL, INCIDENTAL, OR DAMAGES OTHER THAN THE REPAIR AND REPLACEMENT SET FORTH ABOVE.. TO THE FULL EXTENT ALLOWED BY LAW, THE FOREGOING WARRANTIES AND REMEDIES ARE EXCLUSIVE AND ARE IN LIEU OF ALL OTHER WARRANTIES, TERMS OR CONDITIONS, EXPRESS OR IMPLIED, EITHER IN FACT OR BY OPERATION OF LAW, STATUTORY OR OTHERWISE, INCLUDING WARRANTIES, TERMS OR CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, SATISFACTORY QUALITY AND NONINFRINGEMENT, ALL OF WHICH ARE EXPRESSLY DISCLAIMED OR LIMITED TO THE TERMS OF THE EXPRESS WARRANTY. THURSDAY POOLS LLC NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME ANY OTHER LIABILITY IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE OR USE OF ITS PRODUCTS.**

BUYER'S RESPONSIBILITY. It is the buyer's responsibility to use reasonable care in the use of this pool. Buyer should be familiar with all the safety precautions that are required in dealing with any pool. These include, but are not limited to chemical, mechanical, drowning and diving issues. If a claim is made requiring repair or replacement, Buyer is responsible for emptying and refilling of all water. Pool must be provided during normal working hours and be empty of water.

THURSDAY POOLS LLC RESPONSIBILITY. Thursday Pools LLC is responsible to repair or replace the affected product within a reasonable amount of time. Thursday Pools LLC has the option to decide what remedy may be performed. If Thursday Pools LLC decides to replace a product and does not have the exact product available they must replace the product with something similar or larger at no additional cost to the Buyer. Thursday Pools LLC will only be responsible to provide the replacement product. Any additional cost of removing, replacing or damage to landscape or decks is not the responsibility of Thursday Pools LLC.

SPECIFIC LEGAL RIGHTS. This One-Time Transferable Limited Lifetime Structural Warranty and 15-Year Surface Warranty gives you specific legal rights, and you may also have rights which vary from state to state. Some states do not allow limitations on how long an implied warranty lasts, so the above warranty may not apply to you. Some states do not allow the exclusion of incidental or consequential damages, so the above limitation or exclusion may not apply to you. When the implied warranties are not allowed to be excluded in their entirety, they will be limited to the duration of this One-Time Transferable Limited Warranty.

GOVERNING LAW. This One-Time Transferable Limited Lifetime Structural Warranty and 15-Year Surface Warranty shall be governed exclusively by the internal laws of the State of Indiana.

DISPUTE RESOLUTION. Any controversy or claim arising out of or relating to this One-Time Transferable Limited Lifetime Structural Warranty and 15-Year Surface Warranty, or the breach thereof, shall be settled by non-binding arbitration according to the Indiana Rules for Alternative Dispute Resolution.

IN THE EVENT OF A STRUCTURAL OR FINISH FAILURE. Thursday Pools LLC, at its sole discretion, will make the determination of the cause of an alleged structural issue. Such determination shall include who caused the structural issues be it Thursday Pools LLC resulting from faulty workmanship or materials used in the manufacture of the pool shell, a Contractor, or from some other cause.

In the event that a leak occurs in the pool shell as a result of faulty workmanship or materials used in the manufacture of the pool shell, Thursday Pools LLC at its sole discretion shall make the determination as to repairing or replacing the pool and will not be liable or responsible for any loss or damage to property, including but not limited to any fencing, landscaping, patios, sidewalks, or any other improvements connected to, or not connected to the pool shell.

In the event that Thursday Pools LLC determines a leak occurred in the pool shell as a result of faulty workmanship or materials used in the manufacture of the pool shell, it agrees to cover all reasonable cost to drain the pool and replace the water and initial dose of chemical treatment in the pool. If a replacement pool is needed, Thursday Pools LLC will cover the cost of transporting the pool to the installation site but is not responsible for the cost of removal or replacement of pool or any other items.

It is the duty of the purchaser to provide access to the pool repair site during normal business hours.

Following repair or replacement, the pool shell will then be warrantied for the unexpired portion of the warranty. Under no conditions will Thursday Pools LLC compensate the Purchaser for loss of time, or all, of the purchase price of the pool shell for any reason. Warranty is limited to cost of repair and Thursday Pools LLC shall have no other obligations.

GENERAL AQUATIC SAFETY

PLEASE READ CAREFULLY

Water recreation involves inherent risks of serious injury and death. To reduce your risk, you must read and follow all product, package, and package insert warnings and instructions. However, while these warnings and instructions cover common risks of pool use, they do not cover all the risks and dangers. For additional safety, you should take additional steps to familiarize yourself with the following general pool safety guidelines.

- » Demand constant pool supervision from a competent adult or lifeguard.
- » Learn to swim.
- » Learn CPR and first aid.
- » Only use the diving board if you have been properly trained to use one and you are sure the pool is designed for diving and meets all standards for diving pools, such as the ANSI/APSP (Association of Pool & Spa Professionals) Standards.
- » Never swim alone.
- » Always be on alert for potential hazards and warn other pool users of those potential hazards.
- » Instruct all pool users of what to do in case of an emergency.
- » Use common sense and good judgment when you are in and around the pool.

For more safety information, please visit the following:

- » Safe Kids Worldwide: Pool Safety Guide (safekids.org)
- » The American Red Cross: Home Pool Safety (redcross.org)
- » Pool Safely (poolsafely.gov)
- » National Safety Council: Water Safety (nsc.org)
- » The Association of Pool and Spa Professionals (apsp.org)

SAFE SWIMMING DEPENDS ON ADHERENCE TO THE RULES AND WARNINGS. THE “NO DIVING” SIGN WITHIN THIS MANUAL MUST BE POSTED NEAR YOUR POOL TO KEEP ALL POOL USERS AWARE OF THE DANGER. YOU SHOULD ALSO CONSIDER LAMINATING WARNING SIGNS TO PROTECT THEM FROM THE POOL WATER AND ELEMENTS. (SEE ATTACHMENT B)

ATTACHMENT B

General Warnings, Signs, and Stickers

Safety sign instructions: Cut, laminate, and post this safety sign in an area that it is clearly visible to users before entry of the pool. Review the warnings with pool users before every pool use.



WARNING

DROWNING HAZARD

SUCTION FITTINGS (DRAIN COVERS)



Avoid Drain Covers



Avoid Body Entrapment



Avoid Evisceration



Avoid Hair Entanglement



Avoid Finger Entrapment

- Never play or swim near drains or suction fittings. Your body or hair may be trapped causing permanent injury or drowning.
- Never enter the pool or spa if a suction fitting or drain cover is loose, broken, or missing.
- Immediately notify your installer if you find a drain cover loose, broken, or missing.

FAILURE TO FOLLOW THESE SAFETY RULES COULD LEAD TO ENTANGLEMENT, ENTRAPMENT, DROWNING, SERIOUS INJURY, AND DEATH.

ATTACHMENT B

General Warnings, Signs, and Stickers

Safety sign instructions: Cut, laminate, and post this safety sign in an area that it is clearly visible to users before entry of the pool. Review the warnings with pool users before every pool use.

 WARNING	
<div><p>NO DIVING OR JUMPING!</p><p>Shallow water.</p></div> <div><p>Diving or jumping may result in paralysis, permanent injury, or death.</p></div>	<div><p>PREVENT DROWNING</p></div> <div><p>Watch children at all times.</p></div>
<p>Never swim alone or allow others to swim alone. Never leave children or disabled persons unattended in or near the pool. Install safety barriers, gates, locks, and alarms to prevent unauthorized and unsupervised access to the pool. Never use the pool when using alcohol or drugs. Never swim in the pool or spa if it has a broken or missing drain cover. FAILURE TO FOLLOW THESE SAFETY RULES COULD LEAD TO ENTANGLEMENT, ENTRAPMENT, DROWNING, SERIOUS INJURY, AND DEATH.</p>	





**Thanks again for becoming part
of the Thursday Pools family!**

*Your safety and enjoyment are
paramount. If you have any
questions about your pool and/
or spa, or if you are unsure
about anything you have read in
this instruction manual, please
contact us.*

Notes about your pool

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

THURSDAY POOLS®

Your weekend starts early with us

840 Commerce Parkway, Fortville, Indiana 46040
T: 877-929-POOL (7665) F: 317-565-2674
Monday-Friday: 8am-5pm EST
thursdaypools.com